

APR 24 2006

P24882

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Teraoka et al.  
Appl. No. : 10/772,306  
Filed : February 6, 2004  
For : MEASURING AND PRINTING  
DEVICE  
Examiner : W. W. Gibson  
Group Art Unit : 22841

CERTIFICATE OF FAX TRANSMISSION  
PTO CENTRALIZED FAX

I hereby certify that this correspondence and all  
marked attachments, are being transmitted via  
facsimile to the USPTO centralized Fax No.  
(571) 273-8300 on the date shown below:

4/24/06  
(Date)

Total number of pages including this sheet: 2

Thomas R. Arno, Reg. No. 40,490

REQUEST TO CORRECT ERROR IN POWER OF ATTORNEY FILING

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

In a filing dated November 15, 2004, the undersigned filed a Power of Attorney intended for Application Serial No. 10/722,306. The Power of Attorney recited the correct Serial Number, but the transmittal letter contained the incorrect Serial Number 10/772,306. The Power of Attorney was filed in the incorrect case 10/772,306.

Please remove the Power of Attorney filed in the 10/772,306 case to Customer Number 20,995 and place it of record in the 10/722,306 application.

This request is being filed simultaneously in both the 10/772,306 application and the 10/722,306 application.

Appl. No. : 10/772,306  
Filed : February 6, 2004


Thank you for your assistance in correcting this error.

Please charge any additional fees, including any fees for additional extension of time, or credit overpayment to Deposit Account No. 11-1410.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: 4/24/06

By:   
Thomas R. Arno  
Registration No. 40,490  
Attorney of Record  
Customer No. 20,995  
(619) 235-8550

2546695  
042406